



Solutions for Leaking Manholes

www.primeresins.com

Solutions for Sealing Manhole Leaks



Prime Resins developed the Prime Flex family of quality chemical grout products to stop leaks fast and solve the problems that cause them. Leaks are symptoms that appear at the surface, but the causes are much deeper. Unlike surface patches, Prime Flex products are designed to stop leaks at their source. That's the difference between a temporary fix and a permanent solution.

Four products solve problems in manholes:

Prime Flex 900 XLV

Reacts with water to form a tough, flexible hydrophilic foam to seal leaking cracks and joints.

Prime Flex 920

Rigid, hydrophobic foam expands up to 2,500% to fill voids, stop gushing water and fill joints.

Prime Flex Hydro Gel SX

Hydrophilic gel forms either a flexible water-tight foam or an impermeable gel that seals cracks and pipe penetrations..

AR 800

Reacts with water to form a highly elastic hydrophilic gel for leak seal and soil stabilization. Set time can be adjusted up to 30 minutes.

Need products that are tested to meet NSF/ANSI standard 61-5 for contact with potable water? We've got you covered. Ask your sales rep for more information.


Prime Resins is your complete source for manhole rehabilitation chemicals.

WE HAVE IT ALL:

Chemical grouts available from cartridges to totes

Accessories and pumps

Technical consultation



24/7 Technical Support

800-321-7212



Solutions for Sealing Manhole Leaks

Problem:

Leaks and loose/weak soil surrounding riser rings

Solution:

Prime Flex 920

The cost of doing nothing:

Using a very common 1/8" crack as an example, this would equate to 5 gallons per minute of unwelcome water.

5 gal/min x 60 minutes = 300

300 gal/hr x 24 hours = 7,200 gal

7,200 gal/day x 365 = 2,628,000 gal

2.6m gal/yr x cost to treat = \$\$\$

At \$3/1000 gal = \$7,884/year

The cost to treat is much higher than that to repair.

Can you afford to do nothing?

Problem:

Voids and gushing leaks

Solution:

Prime Flex 920

Problem:

Leaks and loose/weak surrounding soil

Solution:

Prime Flex AR 800

We have a long track record of success. Prime Resins has been providing proven infrastructure repair solutions for 35 years. Our products work, our products last, our expertise and 24/7 technical support are second to none.

For mainline and lateral grouting, see PR10L ACLM acrylamide.

Problem:

Leaking joints and pipe penetrations.

Solution:

Prime Flex 900 XLV

Prime Flex Hydro Gel SX

AR 800

Call us today to talk about solutions and how we can add value to your projects: **800-321-7212**

primeresins.com



Head Office

2291 Plunkett Road

Conyers, GA 30012

T: 770-388-0626

E: info@primeresins.com

W: www.primeresins.com